

Poly-G® 30-565

Poly-G® 30-565 is a Polyether triol. With hydroxyl number of ~565, it offers relative high numbers of reactive sites in its class for generally non-foam applications. Low viscosity suitable for multiple processes, include RIM process for optimal efficiency.

Features:

- Relative fast reactivity
- Low viscosity
- Suitable multiple types of processes
- High hydroxyl for volume-critical formulations

Applications:

- Elastomers
- Adhesives
- Sealants
- Coating

Benefits:

Poly-G® 30-565 triol has a nominal molecular weight of ~300. It is a colorless liquid provides relative high transparency; slightly acidic and non-volatile at ambient temperatures; low viscosity for easy dispersion, blending with other components and dispensing; high flash point >392F° (200C°) for elevated temperature processes.

Fig. 1 Poly-G 30-565 Viscosity vs. Tempt.





Fig. 2 Poly-G 30-565 Density vs. Tempt.



Typical Properties

Hydroxyl No. (mg KOH/g)	550-580
Viscosity 25°C, cP	400- 800
Density 25°C, g/mL	1.06-1.08
Avg. Mol Wt. (g/mol.)	300
Appearance	Colorless to pale yellow
Water (% wt), Max	0.08
Acid No, (mg KOH/g), Max	0.05
Color (APHA)	15-30
pH in IPA/H ₂ O	5.5 – 7.0
Flash Point (C°) Open Cup	>200
Functionality	3

Note: The properties reported above are typical physical properties. Monument Chemical in no way guarantees that the product from any particular lot will conform exactly to the given values.

Health and safety information

Under current U.S. OSHA's Hazardous Communication program Poly-G® 30-565 is not considered hazardous.

Observe good industrial hygiene practices and use appropriate Personal Protective Equipment.

For full safety information please refer to the Safety Data Sheet.

Storage and Handling

Poly-G® 30-565 presents no unusual problems for ordinary handling and storage. Consideration must be given to some of its properties when high product purity must be maintained.

Poly-G® 30-565 is hygroscopic, the product can absorb atmospheric moisture up to several percentage. It should be stored in original drums or bulk tanks if possible. Product needs to be blanketed with dry nitrogen gas after each usage.

Provided proper storage and handling precautions are taken, Poly-G® 30-565 manufactured and delivered by Monument Chemical is stable for at least 24 months from the date of manufacture. Poly-G® 30-565 that is subsequently repackaged, handled and/or delivered by third parties may have a different shelf life and may require third party shelf-life studies. Product past the expiration date should be evaluated to confirm that all specifications are within their limits before use.

Additional Information

To learn more about Monument Chemical and the products and services we offer please visit our website at www.monumentchemical.com.

Effective Date: 01/23/2023

Revision: 1

Disclaimers

Please refer to the Safety Data Sheet (SDS) for complete information on Storage and Handling, Toxicological Properties, Personal Protection, First Aid, Spill and Leak Procedures, and Waste Disposal. To order an SDS, email SDS@monumentchemical.com. Before using or handling this product, the SDS should be thoroughly reviewed.

Monument Chemical believes the information in this specific product Technical Data Sheet (TDS) is accurate, but makes no representations as to the sufficiency or completeness of the product or information in this TDS and makes no commitment to correct or bring up-to-date any such information and makes no commitment related to the use of the product in combination with other chemicals or as part of any other chemical processes. MONUMENT CHEMICAL MAKES NO WARRANTY TO THE USER OR RECIPIENT OF ANY PRODUCT FROM MONUMENT CHEMICAL, OR WITH RESPECT TO THE INFORMATION PROVIDED WITH THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, OF FITNESS FOR A PARTICULAR PURPOSE, OR OF NON-INFRINGEMENT OF THIRD PARTY RIGHTS OR PATENTS, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING OR PERFORMANCE, USAGE OF TRADE OR OTHERWISE.

Monument Chemical disclaims liability for any and all claims arising from the use, purchase or receipt of the chemical product, including without limitation, any and all incidental, consequential, indirect, special, or punitive damages arising out of or relating to the product or the information, EVEN IF ARISING OUT OF OR RELATING TO A NEGLIGENT ACT, MISREPRESENTATION, OR OMISSION OF MONUMENT CHEMICAL OR ITS EMPLOYEES. The user is responsible for verifying that the product is suitable for user's particular purposes under applicable laws and regulations and assumes all risks and liabilities arising from its use, transport, purchase, sale or disposal of the product and information provided in this TDS. The products may be covered by one or more United States or foreign patents or patent applications. "Monument Chemical" and the Monument Chemical logo are trademarks of Monument Chemical. All other marks are the property of their respective owners. This TDS will not reduce Monument Chemical's rights or expand Monument Chemical's liabilities under any agreement between the user and Monument Chemical or its affiliates.